


**Demolition Notes & Key**

- Dashed items are to be demolished. Only those items marked for salvage shall be retained.
- Provide dust control at Contract Limit Line. At openings to adjacent spaces that will be open to library use provide door openings in dust control barrier.
- Sequence work to minimize disruption of toilet room facilities. At no time should both toilet rooms be unavailable for public and staff use.
- Key to demolition work:
 

1	Remove shaded walls. Do not remove structural columns in shaded walls.
2	Remove door assembly. Patch wall opening to match existing wall construction adjacent.
3	Cut wall for 3'-0" x 7'-0" door rough opening.
4	Existing carpet or wood floor will be retained after construction is complete. Completely cover floor finish during construction with protection boards suitable for public use. Seal all joints with tape compatible with the board material. For public and construction safety maintain taped joints throughout construction.
5	Remove suspended ceiling assembly.
6	Remove VCT flooring. Scrape tile adhesive from concrete slab. Remove vinyl base.
7	Remove carpet or wood flooring in hatched area. Cut free edge of hatched area straight and true to the dimensions indicated.
8	Remove and save janitorial floor sink and faucet for relocation.
9	Remove electric hot water heater.
10	Remove cabinet unit heater.
11	Remove and save plumbing fixtures and toilet room accessories for relocation.
12	Remove brick veneer as shown in Detail 1/A3.0. Remove door assembly.
13	Remove concrete floor slab for janitorial floor sink drain, drain pipe and recessed sump pump basin. Prepare ceiling for 1-1/2" sump pump discharge pipe tie-in to plumbing drains at toilet rooms.

REVISIONS	
Date	Notes



J. W.  
**HUBER**  
ARCHITECT  
45 Bokum Rd. P. O. Box 441  
Essex, CT 06426  
(860) 767-7334

**Brainerd Memorial Library  
Accessible Entrance & Associated  
Alterations**  
920 Saybrook Road  
Haddam, CT 06438

**Lower Floor Alterations:  
Demolition Plan**

Job No. 18-1113

Drawn by	Date May 16, 2019
Checked by	Scale 1/4" = 1'-0"

**D  
1.0**