

**SYMBOLS KEY**

**LIGHTING SYMBOLS**

- SURFACE MOUNT LED LIGHT FIXTURE (SUPPLIED BY BRAINERD LIBRARY)
- ◻ LED DOWNLIGHT  
WAC LIGHTING MODEL FM-616G2-930  
OR EQUIVALENT BY ANOTHER MANUFACTURER  
APPROVED BY THE ARCHITECT
- LED STRIP COVE LIGHTING:  
WAC LIGHTING InvisiLED Tape Light  
Type LED-T24 2700°K OR EQUIVALENT  
BY ANOTHER MANUFACTURER APPROVED  
BY THE ARCHITECT

NOTE:  
ALL COVE LIGHTING SHALL HAVE  
EMERGENCY LIGHTING FUNCTION

- ▲ EXIT DIRECTIONAL & NON-DIRECTIONAL  
LED EXIT LIGHT & EMERGENCY LIGHT

**ELECTRICAL DEVICE SYMBOLS**

- §<sub>3</sub> STANDARD 3-WAY SWITCH; 48" AFF
- §<sub>OS</sub> TIMED OCCUPANCY SENSOR SWITCH; 48" AFF
- ⊕ STANDARD DUPLEX RECEPTACLE; 18" AFF


**Electrical Notes**

1. Refer to Reflected Ceiling Plan on Drawing A1.1 for lighting placement, and to Detail 5 on Drawing A2.0 for cove lighting design.
2. Related Work: Lighting and power installations in new parking lot and pedestrian plaza [work under a separate contract].
3. Electrical alteration notes:

- ① Janitor Closet: Provide GFCI connection for sump pump.
- ② Community Meeting Room: Existing lighting remains; relocate and reconnect light switches as required by the alterations.
- ③ No work in this area.
- ④ Boiler Room: Provide electrical work related to new domestic hot water source at existing boiler.
- ⑤ Vestibule: Provide and install ceiling heater and thermostat. See specifications on Drawing A1.1

**REVISIONS**

Date	Notes



J. W.  
**HUBER**  
ARCHITECT  
45 Bokum Rd. P. O. Box 441  
Essex, CT 06426  
(860) 767-7334

**Brainerd Memorial Library  
Accessible Entrance & Associated  
Alterations**  
920 Saybrook Road  
Haddam, CT 06438

**Lower Floor Alterations:  
Electrical Plan**

Job No. 18-1113

Drawn by	Date May 16, 2019
Checked by	Scale 1/4" = 1'-0"

NORTH

**E**  
**1.0**